

CONTENTS

| | |
|---------------------------|--------------------------------------|
| PREFACE | ix |
| <hr/> | |
| CHAPTER 1 | |
| ENERGY STATES | 1 |
| <hr/> | |
| 1.1 | ENERGETIC TRANSITION 1 |
| 1.2 | ATOMS 1 |
| 1.2.1 | Intrinsic Energy Levels 1 |
| 1.2.2 | Fine Structure Splitting 2 |
| 1.3 | MOLECULES 3 |
| 1.3.1 | Energy Level 4 |
| 1.3.2 | Crystalline Materials 6 |
| 1.4 | ONE-ELECTRON-HOLE-PAIR STATES 7 |
| 1.4.1 | The Particle-In-The-Box Model 7 |
| 1.5 | COULOMB INTERACTION 10 |
| 1.5.1 | Indirect-Type Quantum Dots 14 |
| <hr/> | |
| CHAPTER 2 | |
| NANOELECTRONICS | 21 |
| 2.1 | FUNDAMENTAL CONCEPTS 21 |
| 2.1.1 | Memory Storage 22 |
| 2.1.2 | Novel Optoelectronics 23 |
| 2.1.3 | Energy Production 24 |
| 2.2 | TRADITIONAL QUANTUM DOTS 26 |
| 2.3 | NEW EMERGING QUANTUM DOTS 27 |
| 2.3.1 | Quantum Dot 28 |
| <hr/> | |
| CHAPTER 3 | |
| SYNTHESIS OF QUANTUM DOTS | 31 |
| 3.1 | CHARACTERISTICS OF QDs 31 |
| 3.1.1 | Colloidal Synthesis 32 |
| 3.1.2 | QDs Fabrication 34 |
| 3.1.3 | Quantum Confinement Effect 35 |
| 3.1.4 | Excitons and Luminescence 39 |
| 3.1.5 | Energy Band Structure of Excitons 39 |
| 3.1.6 | Preparation of Semiconductor QDs 40 |

CHAPTER 4

| | |
|---|----|
| GRAPHENE AND QUANTUM DOTS | 45 |
| 4.1 GRAPHENE NANOSTRUCTURES AND QUANTUM DOTS | 45 |
| 4.1.1 Fabrication Methods | 46 |
| 4.2 THE ROLE OF EDGES | 50 |
| 4.2.1 Size Quantization Effects | 51 |
| 4.2.2 Optical Properties of Colloidal Graphene Quantum Dots | 52 |

CHAPTER 5

| | |
|--|----|
| INVESTIGATED OPTICAL STUDIES OF Si QUANTUM DOT | 57 |
| 5.1 INTRODUCTION | 57 |
| 5.2 CALCULATIONS | 59 |
| 5.3 RESULTS AND DISCUSSION | 59 |
| 5.4 CONCLUSION | 65 |

CHAPTER 6

| | |
|---|----|
| FURTHER OPTICAL PROPERTIES OF CdX (X=S,Te) COMPOUNDS UNDER QUANTUM DOT DIAMETER EFFECT: <i>ab initio</i> METHOD | 69 |
| 6.1 INTRODUCTION | 69 |
| 6.2 CALCULATIONS | 71 |
| 6.3 RESULTS AND DISCUSSION | 71 |
| 6.4 CONCLUSION | 78 |

CHAPTER 7

| | |
|---|----|
| <i>ab initio</i> METHOD OF OPTICAL INVESTIGATIONS OF CdS _{1-x} Te _x ALLOYS UNDER QUANTUM DOTS DIAMETER EFFECT | 81 |
|---|----|

| | | |
|---|------------------------|-----|
| 7.1 | INTRODUCTION | 81 |
| 7.2 | CALCULATIONS | 83 |
| 7.3 | RESULTS AND DISCUSSION | 84 |
| 7.4 | CONCLUSION | 91 |
| | | |
| CHAPTER 8 | | |
| FIRST-PRINCIPLES CALCULATIONS FOR OPTICAL INVESTIGATIONS OF PbX (X=S,Te) COMPOUNDS UNDER QUANTUM DOTS DIAMETER EFFECT | | 95 |
| 8.1 | INTRODUCTION | 95 |
| 8.2 | CALCULATIONS | 96 |
| 8.3 | RESULTS AND DISCUSSION | 97 |
| 8.4 | CONCLUSION | 104 |
| | | |
| CHAPTER 9 | | |
| CHALCOGENIDES-BASED QUANTUM DOTS: OPTICAL INVESTIGATION USING FIRST-PRINCIPLES CALCULATIONS | | 107 |
| 9.1 | INTRODUCTION | 107 |
| 9.2 | CALCULATIONS | 108 |
| 9.3 | RESULTS AND DISCUSSION | 109 |
| 9.4 | CONCLUSION | 117 |
| | | |
| REFERENCES | | 119 |
| | | |
| INDEX | | 127 |